Air Monitoring Summary Tables

The table below summarizes monitoring data collected using a portable wireless remote monitoring system. All times in Eastern Standard Time (EST).

11:59 pm *From:* 04/25/24 12:00 am To: 04/25/24

Offsite Monitors

Instrument	Analyte	ATSDR MRL 14-day Avg Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	ATSDR 14-day MRL	
Catawba Headstart							
Acrulog PPB	H_2S	No	0-0 ppb	0.00 ppb	0.00 ppb	70 ppb	
Treetops							
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.00 ppb	70 ppb	
Liberty Hill							
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.01 ppb	70 ppb	
Riverchase Estates							
Acrulog PPB	H_2S	No	0 – 6 ppb	0.92 ppb	0.35 ppb	70 ppb	
Millstone Creek							
Acrulog PPB	H_2S	No	0 – 0 ppb	0.00 ppb	0.01 ppb	70 ppb	

Onsite Fenceline Monitors


Analyte	30-min AEGL Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	30-min AEGL	
H_2S	No	0–49 ppb	8.10 ppb	3.89 ppb	600 ppb	
H_2S	No	0 – 1 ppb	0.21 ppb	0.59 ppb	600 ppb	
H_2S	No	0-0 ppb	0.20 ppb ^b	0.89 ppb	600 ppb	
	H_2S H_2S	Analyte Reached? H ₂ S No H ₂ S No	Analyte Reached? Range Detected a H2S No 0 - 49 ppb H2S No 0 - 1 ppb	AnalyteReached?Range Detected a24-hr Average aH2SNo $0-49$ ppb 8.10 ppbH2SNo $0-1$ ppb 0.21 ppb	Analyte Reached? Range Detected a 24-hr Average a 7-day Average H ₂ S No 0 – 49 ppb 8.10 ppb 3.89 ppb H ₂ S No 0 – 1 ppb 0.21 ppb 0.59 ppb	

^a Based on 30-minute averages. ^b The 24-hour H₂S average at Station 3 from the start of the sampling period to the end of the sampling period is represented by the backup unit data.

Notes:

ATSDR MRL	Agency for Toxic Substances and Disease Registry Minimal Risk Level (MRL)
AEGL	EPA Acute Exposure Guidelines Levels
H_2S	Hydrogen Sulfide
TAPI	Teledyne API H ₂ S Analyzer
hr	Hour
min	Minute
ppb	Parts per billion
MRL Limit	Limit defined as a 14-day average value.

Station 1 Wind Rose - Shows the direction the wind is coming from, the monitoring station being at the center of the rose.






Period H₂S Monitoring Hydrogen Sulfide Offsite Monitors


Below are graphs for offsite locations where hydrogen sulfide (H_2S) was detected during the current reporting period.


The five stand-alone H_2S monitoring stations correlate with five previous EPA's Viper monitoring system which includes areas to the north-northeast and south-southwest of the New-Indy Catawba Mill.


Winds were coming from a variable direction throughout the day at 1 to 8 mph.


See wind rose diagram with aerial map figure for full wind data during this reporting period.












Period H₂S Monitoring Hydrogen Sulfide Onsite Monitors


Below are graphs for onsite locations during the current reporting period.


Depending on wind direction, the H_2S measured at the onsite fence line locations may not exit the mill property at reported concentrations. Wind directions from offsite locations, blowing onto mill property, will disperse ambient concentrations to lower levels prior to exiting the plant site.

Winds were coming from a variable direction throughout the day at 1 to 8 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.







Submitted Fenceline H₂S and Met 30-minute Data

	Station 1			Station 2			Station 3		
30-Minute Avgs	H2S Met		H2S Met			H2S Met			
4/25/2024	30min Avg	0	30min Avg	30min Avg	30min Avg	0	30min Avg		30min Avg
	H2S Conc.	WS	WD	H2S Conc.	WS	WD	H2S Conc.	WS	WD
Date / Time	ppb	mph	degrees	ppb	mph	degrees	ppb	mph	degrees
4/25/2024 0:30	AX	0.6	306	0.2	0.3	37	0.2	0.5	11
4/25/2024 1:00	38.6	0.8	249	AX	0.4	26	0.2	0.3	225
4/25/2024 1:30	13.4	0.9	231	0.4	0.4	41	AX	0.3	88
4/25/2024 2:00	13.3	0.9	102	0.6	0.7	6	0.2	0.3	74
4/25/2024 2:30	9.7	1.0	297	0.2	0.7	12	0.2	0.5	17
4/25/2024 3:00	48.9	1.4	329	0.2	0.3	47	0.2	0.7	21
4/25/2024 3:30	36.7	1.4	17	0.2	0.3	30	0.2	0.7	30
4/25/2024 4:00	24.4	1.4	33	0.2	0.3	43	0.2	0.3	358
4/25/2024 4:30	27.7	1.5	28	0.2	0.6	29	0.2	0.3	74
4/25/2024 5:00	28.5	1.0	2	0.2	0.4	37	0.2	0.3	122
4/25/2024 5:30	30.0	1.2	30	0.2	0.6	10	0.2	0.3	126
4/25/2024 6:00	25.0	2.1	36	0.2	0.4	52	0.2	0.4	36
4/25/2024 6:30	14.8	3.6	50	0.2	0.3	46	0.2	0.3	12
4/25/2024 7:00	12.2	3.7	56	0.2	0.3	49	0.2	0.7	38
4/25/2024 7:30	8.6	5.2	42	0.2	0.3	341	0.2	2.5	1
4/25/2024 8:00	9.5	6.6	22	0.2	1.0	358	0.2	3.3	360
4/25/2024 8:30	7.4	5.9	18	0.2	1.2	40	0.2	2.8	5
4/25/2024 9:00	3.6	5.4	28	0.2	1.1	87	0.2	2.3	27
4/25/2024 9:30	1.5	6.2	28	0.2	1.8	24	0.2	1.9	40
4/25/2024 10:00	1.1	7.0	38	0.2	1.5	53	0.2	2.9	34
4/25/2024 10:30	0.8	8.1	39	0.2	2.0	28	0.2	3.1	56
4/25/2024 11:00	1.0	7.0	41	0.2	1.9	67	0.2	2.7	59
4/25/2024 11:30	0.9	4.6	41	0.2	2.4	55	0.2	3.3	72
4/25/2024 12:00	0.6	2.6	44	0.2	2.2	143	0.2	2.1	46
4/25/2024 12:30	0.5	2.8	134	0.2	1.8	268	0.2	2.1	56
4/25/2024 13:00	0.8	3.0	146	0.2	2.3	288	0.2	2.1	219
4/25/2024 13:30	0.7	3.3	128	0.2	2.7	275	0.2	2.1	13
4/25/2024 14:00	0.7	2.8	329	0.2	3.2	333	0.2	1.6	342
4/25/2024 14:30	0.7	3.4	13	0.2	3.7	273	0.2	1.8	314
4/25/2024 15:00	0.9	4.0	59	0.2	1.9	87	0.2	2.0	66
4/25/2024 15:30	0.5	3.2	59	0.2	1.9	139	0.2	1.6	1
4/25/2024 16:00	0.6	2.7	9	0.2	1.7	231	0.2	1.8	11
4/25/2024 16:30	0.8	2.2	67	0.2	2.2	9	0.2	1.5	264
4/25/2024 17:00	0.6	1.9	131	0.2	1.2	322	0.2	1.1	118
4/25/2024 17:30	0.4	2.2	67	0.2	1.7	318	0.2	0.9	56
4/25/2024 18:00	0.7	1.9	93	0.2	0.6	129	0.2	0.4	240
4/25/2024 18:30	0.9	2.4	155	0.2	0.5	94	0.2	0.4	255
4/25/2024 19:00	0.9	2.0	188	0.2	0.3	75	0.2	0.3	293
4/25/2024 19:30	1.0	1.6	175	0.2	0.4	66	0.2	0.4	334
4/25/2024 20:00	0.7	1.0	175	0.2	0.3	73	0.2	0.2	291
4/25/2024 20:30	0.4	1.7	183	0.2	0.3	66	0.2	0.2	342
4/25/2024 21:00	0.5	1.0	157	0.2	0.3	70	0.2	0.3	336
4/25/2024 21:30	0.7	1.0	165	0.2	0.4	35	0.2	0.3	347
4/25/2024 22:00	1.8	1.1	160	0.2	0.4	54	0.2	0.2	259
4/25/2024 22:30	1.8	1.2	172	0.2	0.4	72	0.2	0.2	310
4/25/2024 22:30	1.8	0.9	172	0.2	0.3	50	0.2	0.2	309
4/25/2024 23:00		1.1				48			
4/26/2024 23:30	2.0 2.1	0.9	163 98	0.2	0.3 0.5	48 37	0.2	0.3	357 301

AOS Null	AQS Null Data Codes					
Qualifier Code	Item Description					
AB	TECHNICIAN UNAVAILABLE					
AC	CONSTRUCTION/REPAIRS IN AREA					
AD	SHELTER STORM DAMAGE					
AE	SHELTER TEMPERATURE OUTSIDE LIMITS					
AI	INSUFFICIENT DATA (CAN'T CALCULATE)					
AM	MISCELLANEOUS VOID					
AN	MACHINE MALFUNCTION					
AO	BAD WEATHER					
AP	VANDALISM					
AS	POOR QUALITY ASSURANCE RESULTS					
AT	CALIBRATION					
AU	MONITORING WAIVED					
AV	POWER FAILURE (POWR)					
AW	WILDLIFE DAMAGE					
AX	PRECISION CHECK (PREC)					
AY	Q C CONTROL POINTS (ZERO/SPAN)					
AZ	Q C AUDIT (AUDT)					
BA	MAINTENANCE/ROUTINE REPAIRS					
BB	UNABLE TO REACH SITE					
BC	MULTI-POINT CALIBRATION					
BD	AUTO CALIBRATION					
BE	BUILDING/SITE REPAIR					
BF	PRECISION/ZERO/SPAN					
BJ	OPERATOR ERROR					
BK	SITE COMPUTER/DATA LOGGER DOWN					
EC	EXCEED CRITICAL CRITERIA					